


ARV MR-100

Meeting Room Display

Size 10.1" / 13.3" / 15.6"




MEETING ROOM BOOKING SYSTEM

We offer integrated meeting room booking system with powerful software and hardware, high-quality and elegant interactive IPS LCD Panel. It allows easy scheduling of office spaces and meeting rooms. It shows real-time schedules display, providing workplace insights and integrated with existing work calendars such as Google Calendar, Microsoft Exchange or Microsoft 365 Calendar.

MAKE YOUR MEETING-ROOM FACILITY MORE EFFICIENT

ArviaMeeting optimizes the look and feels of your meeting room facilities by adding a display panel with lots of useful functionality. The panel communicates directly with Exchange/Office 365 – so there is no need for any software to be installed in your datacenter. ArviaMeeting also has an optional large overview screen with meeting room information to be placed in your reception area. ArviaMeeting has an enterprise management tool that lets you do all configurations with ease.

Key Features



SOFTWARE INTEGRATION


Connects to the most widespread calendar systems in the world.

You won't have to learn yet another software. Communicates directly with Microsoft Exchange / Office 365, and Google Suite – No need for any additional software installation.



CUSTOMIZE PANEL DISPLAY

Display panels are simple and simply show the relevant meeting information. In addition, with ArviaMeeting you can easily customize your logo and background image on your display panels to suit your corporate needs and feels.



CLOUD-BASED ADMINISTRATION

Manage all your display panel settings, logos and background images with ArviaRoom cloud configuration solution. While you can configure display panel individually, central management is much easier to manage and faster. Just enter the code and password, it will synchronize everything.



MULTIROOM VIEW

ArviaMeeting gives you the option to do instant bookings – Not only on the current room, but on other rooms as well. 2 ways booking allows you to book the current room or other rooms directly from the panel.




ANDROID TABLET WITH TOUCH SCREEN

LCD IPS panel, 300cd/m2

INTELLIGENT CAPACITIVE TOUCH

The high sensitivity 10-point capacitive touch screen is used to match the high frequency self-touch chip, G+G bonding process, high screen hardness, abrasion resistance and higher transmittance.

10-point capacitive touch



ROOM SCHEDULING AND BOOKING

With the integration of calendar systems and booking, the multi-step process of getting a conference room and calling a meeting can be streamlined into one easy action. The meeting room is reserved at the time of selection, and participants can get a notification of the time and place all in one workflow.

SPECIFICATION

	Meeting Room Display 10.1"	Meeting Room Display 13.3"	Meeting Room Display 15.6"
CPU	RK3288,Quad-core cortex A17,1.8G	RK3288,Quad-core cortex A17,1.8G	RK3288,Quad-core cortex A17,1.8G
RAM	2GB	2GB	2GB
Internal memory	8GB	8GB	8GB
Operation system	Android 8	Android 8	Android 8
Touch screen	10-Point capacitive touch	10-Point capacitive touch	10-Point capacitive touch
Panel	10.1" LCD IPS panel	13.3" LCD IPS panel	15.6" LCD IPS panel
Resolution	1920*1080	1920*1080	1920*1080
Active area	293.76(H)x165.24mm(V)	293.76(H)x165.24mm(V)	293.76(H)x165.24mm(V)
Display mode	Normally black ,IPS	Normally black ,IPS	Normally black ,IPS
Viewing angle	85/85/85/85(L/R/U/D)	85/85/85/85(L/R/U/D)	85/85/85/85(L/R/U/D)
Contrast ratio	800	800	800
Luminance	250cd/m2	250cd/m2	250cd/m2
Aspect Ratio	16:10	16:10	16:10
WiFi	802.11b/g/n	802.11b/g/n	802.11b/g/n
Ethernet	100M/1000M ethernet	100M/1000M ethernet	100M/1000M ethernet
Buletooth	Bluetooth 4.0	Bluetooth 4.0	Bluetooth 4.0
Card slot	SD card	SD card	SD card
USB	USB Host	USB Host	USB Host
Micro USB	Micro USB OTG	Micro USB OTG	Micro USB OTG
USB	USB for serial	USB for serial	USB for serial
RJ45 with POE	RJ45	RJ45	RJ45
POE	IEEE802.3at/af	IEEE802.3at/af	IEEE802.3at/af
Power jack	DC power input	DC power input	DC power input
Earphone	3.5mm earphone + Micphone	3.5mm earphone + Micphone	3.5mm earphone + Micphone
Video format	MPEG-1,MPEG-2,MPEG-4,H.263, H.264, VC1,RV etc.,support up to 4K	MPEG-1,MPEG-2,MPEG-4,H.263, H.264, VC1,RV etc.,support up to 4K	MPEG-1,MPEG-2,MPEG-4,H.263, H.264, VC1,RV etc.,support up to 4K
Audio format	MP3/WMA/AAC etc.	MP3/WMA/AAC etc.	MP3/WMA/AAC etc.
Photo	jpeg	jpeg	jpeg
VESA	75x75mm	75x75mm	75x75mm
Speaker	2*1.5W	2*1.5W	2*1.5W
LED Light bar	LED Light bar	LED Light bar	LED Light bar
Camera	2.0M/P,Front camera	2.0M/P,Front camera	2.0M/P,Front camera
Working temp	0--40degree	0--40degree	0--40degree
Certificates	CE/FCC/RoHS	CE/FCC/RoHS	CE/FCC/RoHS
Language	Multi-language	Multi-language	Multi-language
Adapter	Adapter,12V/1.5A	Adapter,12V/1.5A	Adapter,12V/1.5A
User manual	yes	yes	yes

Israk Solutions Sdn. Bhd (1289622-T)

No 16, Wisma Arvia, Jalan IMP 1/1, Sinar Meranti Technology Park, 47120 Puchong, Selangor

<http://www.israk.my> info@israk.my 03-8966 2405 011-2760 3775



MAS 101487